



GARAGE DOORS · SECTIONAL STEEL & ALUMINUM

2026 COLLECTION



TURNKEY
GLOBAL MATERIALS

Insulated steel sectional doors in traditional, carriage house and contemporary layouts, plus full-view aluminum and glass. Direct from the factory.

R-16 polyurethane steel sections, faux wood and premium finishes, panoramic glazing and modern flush designs, curated by Turnkey Global Materials.

[TURNKEYGLOBALMATERIALS.COM](https://turnkeyglobalmaterials.com)
[INFO@TURNKEYGLOBALMATERIALS.COM](mailto:info@turnkeyglobalmaterials.com)
AUSTIN, TEXAS



The largest door *on the house*

A garage door is often a third of the front elevation, and it is the one element most builders treat as an afterthought. This collection changes that. Three overlay families, Princeton, Eastman and Cambridge, let the same insulated steel section read as traditional, carriage house or contemporary, in twelve panel colors, five overlay colors and a full range of panoramic glazing.

For modern projects the collection adds full-view aluminum and glass doors, flush steel doors with vertical or horizontal side lites, wood-look flush doors and vertical slat designs. Every door is built to the opening size in 1-inch width increments and ships opener-ready.

DIRECT FROM THE FACTORY

We source from the door plant, not a dealer network. Expect a clear landed-cost quote and 30 to 50 percent below domestic list on comparable specs.

BUILT FOR THE CLIMATE

2 3/8-inch steel sections with injected polyurethane rated R-16, interlocking joints and wood end blocks that break the thermal path.

ONE PARTNER, ONE SHIPMENT

Doors, glazing, hardware and matching overlays consolidated into one order with one point of contact in Austin.

IN THIS CATALOG

01	Traditional & carriage house	03
02	Contemporary & flush modern	07
03	Full-view aluminum & glass	09
04	Wood-look & slat designs	10
05	Colors, windows & construction	12



SECTION 01

Traditional & carriage house


Eastman E-21 double doors, Ice White, 8-lite panoramic windows. Insulated steel that reads as painted wood.




Traditional layouts *Princeton* · *Eastman* · *Cambridge*

Decorative overlays are factory-applied to a flush insulated steel section to create raised-panel proportions without the weight or upkeep of wood. Princeton carries a 30-inch panoramic top section, Eastman a 24-inch top section that can take panoramic glass, regular windows or no windows, and Cambridge uses a recessed grid with unequal section heights for a classic colonial rhythm.

PRINCETON OVERLAY LAYOUTS SHOWN 16' X 7' · 30" PANORAMIC TOP SECTION



PRINCETON P-11
Wide panels



PRINCETON P-12
Twin panels




PRINCETON P-13
Triple panels




PRINCETON P-31
Full-width lites


EASTMAN LAYOUTS 24" TOP SECTION



EASTMAN E-11




EASTMAN E-12



EASTMAN E-13

CAMBRIDGE LAYOUT RECESSED GRID



CAMBRIDGE CM
Section heights vary

IN PLACE



EASTMAN E-11

10' X 7' · DESERT SAND

8-lite panoramic windows with matching overlays.



EASTMAN E-11

16' X 8' · BLACK

4 vertical-lite panoramic windows, black overlays.



CAMBRIDGE CM

8'6" X 7' · CHOCOLATE WALNUT

Faux wood finish on a traditional recessed grid.







Carriage house layouts *P-21 to E-23*

Carriage house overlays add the crossbuck, V-brace and vertical batten patterns of a barn door to the same insulated section. Because the overlays are applied over a one-piece door, there are no swing-out leaves and no gap at the meeting stiles. Pair them with the arch overlay, wrought-iron handles and strap hinges for the full effect.


PRINCETON CARRIAGE LAYOUTS SHOWN 16' X 7'



PRINCETON P-21
Crossbuck




PRINCETON P-22
V-brace




PRINCETON P-23
Batten


EASTMAN & CAMBRIDGE CARRIAGE LAYOUTS



EASTMAN E-21
Crossbuck



EASTMAN E-22
V-brace



EASTMAN E-23
Batten



CAMBRIDGE CS
Cottage grid

IN PLACE



PRINCETON P-22

9' X 7' • ICE WHITE

Three doors, 8-lite panoramic windows.



EASTMAN E-23

10' X 7' • EVERGREEN

Desert Sand overlays on a premium color door.



EASTMAN E-21

8' X 7' • CLAYSTONE

Ice White overlays, 8-lite panoramic windows.





CARRIAGE HOUSE

Barn character, *one-piece convenience*

Princeton P-21, 18' x 7', Chocolate Walnut door with Ice White overlays and 4 vertical-lite panoramic windows.



SECTION 02

Contemporary & *flush modern*

Cambridge CL, 15' x 7', Chocolate Walnut. Clean horizontal lines for modern elevations.




Contemporary & flush steel doors

Two routes to a modern facade. The Cambridge CL keeps the insulated overlay construction but flattens the pattern to long horizontal panels, available in every panel color including the faux woods. The flush series goes further: a smooth or lightly textured steel skin with no embossing, a stacked column of vertical side lites or a single horizontal band of glass, in black, charcoal, grey or white.

CAMBRIDGE CL SHOWN 9' X 7' AND 16' X 7'

IN PLACE



CAMBRIDGE CL · ICE WHITE

14' X 7' · CLEAR PANORAMIC WINDOWS



CAMBRIDGE CL · BLACK

9' X 8' · BLACK OVERLAYS

FLUSH MODERN SERIES VERTICAL SIDE LITES · HORIZONTAL LITE BAND · FROSTED OR TINTED GLASS



FLUSH · VERTICAL SIDE LITES

BLACK TEXTURED SKIN, 5 FROSTED LITES




FLUSH · OFFSET SIDE LITES

CHARCOAL, 4 CLEAR LITES



FLUSH · SQUARE LITES

BLACK, 3 STAINLESS-FRAMED LITES



FLUSH · PLAIN

WHITE, NO GLAZING



FLUSH · PLAIN

GREY, RIBBED SECTIONS



FLUSH · TOP LITE BAND

BLACK, SINGLE HORIZONTAL LITE



Full-view *aluminum & glass*

A thermally sound aluminum frame divided into a grid of glass panels. Choose frosted or white laminated glass for privacy, clear tempered glass to open a workshop or gym to the driveway, or a mirrored tint that hides the interior by day and glows by night. Frames are powder-coated black, bronze, white or a custom color; the grid can be four or five rows high and as wide as the opening.

GLASS OPTIONS



FROSTED
BLACK FRAME · 5-ROW GRID
Full privacy with daylight into the garage.



MIRRORED TINT
BLACK FRAME · 4-ROW GRID
Reflective by day, transparent from inside.



CLEAR & FROSTED MIX
BRONZE FRAME
Clear upper rows over frosted lower rows.

IN PLACE



FRAME & GLASS

FRAME	Extruded aluminum stiles and rails, powder-coated; black standard, bronze, white or custom RAL
GLASS	Tempered clear, frosted or white laminated, grey or bronze tint, mirrored; insulated glass on request
LAYOUT	Four or five rows of panels, panel count set by door width; solid aluminum bottom or top row optional
HARDWARE	Standard sectional track, torsion springs and opener-ready; a full-view door is lighter than an insulated steel door of the same size






Wood-look & *slat designs*

The warmth of a cedar plank door without the maintenance. Wood-look flush doors carry a photo-realistic laminate over insulated steel, with random-length plank lines and a column of side lites. Slat doors bond vertical timber-tone battens to a sectional frame and are also available as a pivoting or side-sliding leaf for wider openings.


WOOD-LOOK FLUSH DOORS



CEDAR PLANK · BLACK LITES
RANDOM PLANK LINES, 4 DARK LITES



LIGHT CEDAR
FROSTED SIDE LITES, BLACK FRAME



HONEY CEDAR · OFFSET LITES
BLACK STEEL JAMB, WARM PLANK FINISH

VERTICAL SLAT DOORS



OAK SLAT · SECTIONAL
BATTENS RUN THROUGH THE SECTION JOINTS



OAK SLAT · FLUSH TO CLADDING
DOOR DISAPPEARS INTO A SLAT FACADE



WALNUT PLANK · FROSTED LITES
STACKED SIDE LITES IN A CHAMPAGNE FRAME



FAUX WOOD FINISHES

Wood grain that *never needs staining*

Princeton P-23, 8' x 7', Chocolate Walnut doors and overlays, 8-lite panoramic windows.




Colors, overlays & hardware

Panel colors are baked-on polyester finishes over galvanized steel: five standard, four premium and three uni-directional faux wood patterns. Overlays are ordered separately in five colors so a Desert Sand door can carry Ice White trim, or a Black door Black-on-Black. Arch overlays and hand-forged hardware finish the carriage house look.

STANDARD PANEL COLORS



PREMIUM PANEL COLORS



FAUX WOOD PANEL COLORS




OVERLAY COLORS



ARCH OVERLAY PRINCETON & EASTMAN, TOP SECTION ONLY



DECORATIVE HARDWARE HAND-FORGED WROUGHT IRON TEXTURE



ARCH OVERLAY COLORS

Ice White, Desert Sand, Claystone, Black

FAUX WOOD

Dark Walnut, Chocolate Walnut and Weathered Grey are uni-directional grain patterns

HARDWARE

Lis and Standard/Cottage sets for Princeton and Eastman layouts; matching aluminum capping colors available for jambs



Windows & glass

All glazing sits in the top section. Panoramic windows run the full width of the section in an extruded aluminum frame that is hidden by the overlays from outside and finished white inside; grid patterns follow the overlay layout. Orion windows are a 40 x 13-inch thermopane unit with aluminum grids sealed between the panes. Ten decorative glass textures set the privacy level from clear to fully obscured.


PANORAMIC WINDOW LAYOUTS GRID SQUARES SCALE WITH DOOR WIDTH



ORION & THERMOPANE 40" X 13"



DECORATIVE GLASS PRIVACY LEVEL OUT OF 5



SIZES

WIDTHS	8' to 18' in 1" increments; oversized on request
HEIGHTS	Eastman and Cambridge 6'6" to 8'; Princeton 7' to 8'; 3" increments
PANORAMIC SECTION	Princeton 30" · Eastman 24"

WARRANTY

DOOR SECTIONS	Limited lifetime
WINDOWS	10 years seal · 1 year thermal break
PVC MOLDINGS	10 years discoloration · 5 years delamination
HARDWARE & WEATHERSTRIP	2 years · 1 year





Construction & *thermal performance*

Every steel door in this collection is a three-layer sandwich: exterior steel skin, injected polyurethane core and interior steel skin, 2 3/8 inches thick and rated R-16. The energy story does not stop at the section. Interlocking joints between sections block air infiltration, wood end blocks break the thermal path at the edges and full-perimeter weatherstripping seals the opening.



THREE-LAYER SECTION
Steel · polyurethane · steel

WHAT MAKES THE DIFFERENCE

1 · POLYURETHANE INSULATION

Injected foam bonds to both skins for a rigid, quiet section and acts as a thermal break against heat and cold.

2 · INTERLOCKING JOINTS

Each section locks into the next with a tongue-and-groove profile that blocks air infiltration between panels.

3 · WOOD END BLOCKS

Solid wood at the section ends is one of the most effective thermal breaks available and gives hinges and rollers something to bite into.

SPECIFICATIONS

MATERIAL	Galvanized steel skins, baked polyester finish, 2 3/8" (60mm) section
INSULATION	Injected polyurethane, R-16
JOINTS	Interlocking section joints with full-perimeter weatherstripping
OPENER	Opener-ready; belt, chain or jackshaft residential openers with smart-device control available on request
FULL-VIEW & SLAT DOORS	Aluminum frame or slat-on-frame construction; see pages 09 and 10





TURNKEY
GLOBAL MATERIALS

TURNKEYGLOBALMATERIALS.COM
INFO@TURNKEYGLOBALMATERIALS.COM
AUSTIN, TEXAS

Send us the opening sizes, the style you have in mind and your finish targets. We return a landed-cost quote from the factory with a full illustrated specification.

© 2026 TURNKEY GLOBAL MATERIALS LLC